

ANGIOSPERMIC FLORA OF DARBHANGA (MITHILA, NORTH BIHAR)—I

ARUN KUMAR MISRA

University of Bihar, Darbhanga

A B S T R A C T

This communication is the first of a series of preliminary reports of angiospermic plants growing in Darbhanga and around. This includes 287 species, 243 genera and 93 families in total. Monocots are represented by 51 species, 47 genera and 18 families; and dicots by 236 species, 196 genera and 75 families. The arrangement of families is according to Bentham and Hooker (1862-83).

INTRODUCTION

Darbhanga is district headquarter. It is 30 km south of the Himalaya at an altitude of 76.8 m above sea-level, on latitude 26° 11' N and longitude 86° E. The annual rainfall is about 1200 mm, average temperature 36°C and humidity 66%. The soil is of sandy loam type with pH 8.6 and CPNK ratio 1200:85:3:700. Hooker (1894), Haines (1922), Mooney (1950), Prain (1903), Duthie (1903), Banerjee and Banerjee (1968) and others have mentioned about plants of this area. The place is feebly surveyed from botanical point of view. The present communication forms the first of a series of reports obtained from survey of plants growing in the township and in nearby places within a radius of 5 square km. The arrangement of families in the list below is according to Bentham and Hooker (1862-83). Genera within a family and species within a genus are arranged in alphabetical order. Herbaria are deposited at Department of Botany, University of Bihar, Muzaffarpur. Collections were made during 1964-68 by author himself. Short comments about the habitat and use of plants is given to emphasise the importance of the plant concerned in the vegetation of the area. The nomenclature has been revised where necessary.

ENUMERATION

DICOTYLEDONS

RANUNCULACEAE

Ranunculus sceleratus Linn.
Winter weed near neglected ponds.

DILLENIACEAE

Dillenia indica Linn.
Ornamental tree in garden.

MAGNOLIACEAE

Michelia champaca Linn.

Arborescent garden plant.

ANNONACEAE

Annona reticulata Linn.

Cultivated for edible fruits.

A. squamosa Linn.

Cultivated for fruits, wild also.

Polyalthia longifolia (Sonner.) Thw.

On road sides and in gardens.

MENISPERMACEAE

Tinospora cordifolia Miers.

Wild climber.

NYMPHAEACEAE

Nelumbium nucifera Gaertn.

In neglected ponds.

PAPAVERACEAE

Argemone mexicana Linn.

Wild in dry alkaline soil.

FUMARIACEAE

Fumaria parviflora Lamk.

Weed in mustard and wheat fields.

CRUCIFERAE

Brassica campestris Linn. var. **sarson** Prain

Cultivated for oil.

Rorippa indicum (DC.) Beck.

Ornamental, in winter, in gardens.

Raphanus sativa Linn.

Cultivated for edible roots.

CAPPARIDACEAE

Cleome gynandra Linn.

Wild with white flowers.

C. viscosa Linn.

Abundant in waste places, flowers yellow.

	POLYGALACEAE	OXALIDACEAE
Polygala chinensis Linn.		Oxalis corniculata Linn.
Gregarious in damp places.		In damp shady places.
	CARYOPHYLLACEAE	BALSAMINACEAE
Dianthus sinensis Linn.		Impatiens balsamina Linn.
Ornamental garden plant.		Ornamental plant.
	PORTULACACEAE	RUTACEAE
Portulaca grandiflora Hook.		Aegle marmelos Corr.
Exotic garden plant.		Cultivated.
P. oleracea Linn.		Citrus medica Linn.
Abundant in usar lands.		Cultivated for fruits.
	AIZOACEAE	Feronia limonia (Linn.) Swingle
Mollugo sperrula Linn.		Wild, on high lands.
In shade by the side of walls.		Murraya paniculata (Linn.) Jack.
Trianthema portulacastrum Linn.		Cultivated for flowers.
Under trees.		
	DIP TEROCARPACEAE	MELIACEAE
Shorea robusta Gaertn.		Azadirachta indica Juss.
Planted on road sides.		Called Bakain, grows wild.
	MALVACEAE	Melia azedarach Linn.
Abelmoschus esculentus (Linn.) Moench.		Called Nim, wild.
Vegetable crop.		Swietenia mahogani Linn.
Abutilon indicum (Linn.) Sweet emend. Hochr.		Planted on road sides.
Tree undergrowth.		
Gossypium barbadense Linn.		RHAMNACEAE
Cultivated, in the back of houses.		Zizyphus mauritiana Lamk.
Hibiscus sabdariffa Linn.		Wild, in dry places.
Cultivated for fibres.		
Malvastrum coromandelianum (Linn.) Garcke.		VITACEAE
Orchard undergrowth.		Vitis quadrangularis Wall.
Sida cordifolia Linn.		Wild climber, often in gardens.
Wild, abundant in uncultivated lands.		V. trifolia Linn.
	BOMBACEAE	Wild, creeper.
Bombax ceiba Linn.		V. vinifera Linn.
Wild isolated trees.		Cultivated.
	TIKIACEAE	
Corchorus aestuans Linn.		SAPINDACEAE
Cultivated for fibres.		Litchi chinensis Sonn.
C. capsularis Linn.		Cultivated for fruits.
Small herb on road sides.		
Grewia subinequalis DC.		ANACARDIACEAE
Cultivated for fruits.		Anacardium occidentale Linn.
	LINACEAE	In gardens.
Linum usitatissimum Linn.		Mangifera indica Linn.
Cultivated for oil.		In orchards.
	GERANIACEAE	
Biophytum sensitivum DC.		MORINGACEAE
In open fields during rains,		Moringa oleifera Lamk.
		On road sides and back of houses.
		LEGUMINOSAE
		Acacia catechu Willd.
		Wild,

- Acacia nilotica** (Linn.) Del. var. **tomentosa** (Benth.) Cuf.
In gardens.
- Albizia lebbek** (Linn.) Benth.
Cultivated, on road sides.
- Arachis hypogea** Linn.
Cultivated for oil.
- Bauhinia racemosa** Lamk.
Wild in dry places.
- B. variegata** Linn.
Ornamental, on road sides.
- Butea monosperma** (Lamk.) Traub.
Ornamental, occasional.
- Cajanus indicus** Spreng.
Cultivated, pulse.
- Cassia fistula** Linn.
Garden plant.
- C. occidentalis** Linn.
Wild, large herb.
- C. tora** Linn.
Small widely distributed herb.
- Cicer arietinum** Linn.
Cultivated, pulse.
- Clitoria ternatea** Linn.
Garden plant.
- Crotalaria juncea** Linn.
Cultivated for fibres.
- Dalbergia sissoo** Roxb.
Common timber tree, cultivated.
- Delonix regia** (Boj.) Rag.
On road sides.
- Dolichos lablab** Linn.
Cultivated, vegetable crop.
- Lathyrus sativus** Linn.
Cultivated, pulse.
- Lens esculenta** Moench.
Cultivated pulse.
- Melilotus alba** Lamk.
Weed.
- M. indica** All.
Weed in winter crops.
- Mimosa pudica** Linn.
Wild, under trees.
- Phaseolus mungo** Linn.
Cultivated, pulse.
- Pisum sativum** Linn.
Cultivated, pulse.
- Prosopis spicigera** Linn.
Rare, on road sides.
- Pterocarpus marsupium** Roxb.
Cultivated for medicinal value.
- Saraca asoca** (Roxb.) D. Wilde.
Planted on road sides.
- Sesbania aegyptica** Pers.
Cultivated as hedge.
- Tamarindus indica** Linn.
On road sides.
- Trigonella foenum-graecum** Linn.
Cultivated for spices.
- Vicia faba** Linn.
Cultivated, vegetable crop.
- ROSACEAE
- Rosa alba** Linn.
Ornamental, in gardens.
- CRASSULACEAE
- Bryophyllum calycinum** Salis.
Cultivated for ornamental leaves.
- Kalanchoe laciniata** DC.
Ornamental, in gardens.
- HALORRHAGIDACEAE
- Myriophyllum indicum** Willd.
Floating aquatic weed.
- COMBRETACEAE
- Quisqualis indica** Linn.
Garden climber.
- Terminalia arjuna** W. & Kowa.
In gardens.
- MYRTACEAE
- Callistemon linearis** DC.
Small garden tree.
- Eucalyptus masculata** Hook.
Garden tree.
- Psidium guajava** Linn.
Grows wild, cultivated for fruits.
- Syzygium cumine** (Linn.) Skeels.
Fruit and timber tree, abundant.
- S. jambos** (Linn.) Alston.
Cultivated for fruits.
- LYTHRACEAE
- Ammania baccifera** Linn.
In low watery crop fields.
- Lagerstroemia indica** Linn.
Cultivated for ornamental flowers.
- Lawsonia inermis** Linn.
Cultivated as hedge.
- Punica granatum** Linn.
Cultivated for fruits.
- ONAGRACEAE
- Jussiaea repens** Linn.
Floating aquatic,

- TRAPACEAE
- Trapa natans** Linn. var. **bispinosa** (Roxb.) Makino.
Aquatic, wild or cultivated.
- PASSIFLORACEAE
- Passiflora foetida** Linn.
Wild delicate climber.
- CARICACEAE
- Carica papaya** Linn.
Cultivated for fruits.
- CUCURBITACEAE
- Cephalandra indica** Naud.
Cultivated, vegetable crop.
- Citrullus lanatus** (Thunb.) Mansf.
Cultivated for fruits.
- Cucumis melo** Linn.
Cultivated for fruits.
- C. sativus** Linn.
Cultivated for fruits.
- Cucurbita maxima** Duch.
Cultivated over huts.
- C. pepo** Linn.
Cultivated in dry sandy soil.
- Lagenaria siceraria** (Roxb.) Standl.
Cultivated, vegetable crop.
- Luffa acutangula** Roxb.
Cultivated for vegetables.
- L. cylindrica** (Linn.) Roem.
Cultivated vegetable crop.
- Momordica charantia** Linn.
Cultivated vegetable crop.
- CACTACEAE
- Opuntia monacantha** Haw.
Hedge, weed in uncultivated lands.
- UMBELLIFERAE
- Anethum sowa** Roxb.
Wild, winter weed.
- Centella asiatica** (Linn.) Urbon.
In wet places.
- Coriandrum sativum** Linn.
Cultivated as spices.
- Daucus carota** Linn.
Cultivated vegetable crop.
- Trachyspermum villosum** Haines
Prostrate in open fields.
- RUBIACEAE
- Anthocephalus cadamba** Miq.
Grows wild, occasional.
- COMPOSITAE
- Hedyotis verticillata** (Linn.) Lamk.
Wild, under trees.
- Ixora arborea** Roxb. ex Sm.
Ornamental tree, cultivated.
- Oldenlandia corymbosa** Linn.
Wild, in cool places.
- PRIMULACEAE
- Ageratum conzoides** Linn.
Wild, in damp places.
- Blumea flava** DC.
As weed in crop fields.
- Carthamus tinctorius** Linn.
Cultivated.
- Chrysanthemum americanum** (Linn.) Vatke.
Cultivated in gardens.
- Cosmos bipinnatus** Cav.
In gardens.
- Eclipta alba** Hassk.
Sides of water canals.
- Helianthus annus** Linn.
In gardens.
- Launaea asplenifolia** (Roxb.) Hook. f.
Wild in play-grounds.
- Sonchus brachyotus** DC.
In open fields.
- Tagetes patula** Linn.
In gardens.
- Tridax procumbens** Linn.
In dry open fields.
- Xanthium strumarium** Linn.
On road sides, bank of ponds.
- SAPOTACEAE
- Achras sapota** Linn.
Cultivated for fruits.
- Madhuca indica** Gmel.
Wild in fields and orchards.
- OLEACEAE
- Jasminum auriculatum** Vahl
Wild and cultivated both.
- Nyctanthus arbor-tristis** Linn.
Cultivated for flowers.
- APOCYNACEAE
- Nerium indicum** Mill.
In gardens.
- Rauvolfia serpentina** Benth. ex Kurz,
Wild in shady places.

Tabernaemontana divaricata (Linn.) R. Br.

Cultivated as hedge.

Vinca rosea Linn.

Garden plant.

ASCLEPIADACEAE

Calotropis gigantea (Linn.) Ait.

In open dry fields.

C. procera (Ait.) Ait. f.

Along with former species.

Oxystelma esculenta (Linn. f.) J. A. Schuttess.

Ornamental, in gardens.

Sarcostemma acidum (Roxb.) Voigt.

Ornamental.

LOGANIACEAE

Strychnos nux-vomica Linn.

In watery rice fields.

GENTIANACEAE

Nymphaoides cristatum (Roxb.) O. Ktze.

In neglected ponds.

BORAGINACEAE

Cynoglossum lanceolatum Forsk.

In open fields.

Heliotropium indicum Linn.

On road sides.

H. ovalifolium Forsk.

Along with walls.

H. supinum Linn.

In uncultivated lands.

CONVOLVULACEAE

Evolvulus alsinoides Linn.

In play grounds.

Ipomoea aquatica Forsk.

Creeping on the side of ponds.

I. batatas Lamk.

Cultivated for edible tubers.

I. cairica (Linn.) Sweet var. **indica** Wall. f.

Garden creeper.

CUSCUTACEAE

Cuscuta reflexa Roxb.

On several types of trees.

SOLANACEAE

Capsicum annuum Linn.

Cultivated.

C. frutescens Linn.

Cultivated.

Cestrum hirsutum Jacq.

Garden plant.

Datura innoxia Mill.

Weed.

D. stramonium Linn.

Weed by road sides.

Lycopersicon lycopersicum A. Shaw

Cultivated for fruits.

Nicotiana glutinosa Linn.

Cultivated.

N. plumbaginifolia Viv.

Weed in shady moist places.

N. rustica Linn.

Cultivated.

N. tabacum Linn.

Cultivated.

Physalis minima Linn.

Under trees.

Solanum melongena Linn.

Cultivated.

S. nigrum Linn.

Weed in moist places.

S. tuberosum Linn.

Cultivated.

S. surattense Burm. f.

In orchards, under trees.

SCROPHULARIACEAE

Lindernia crustacea (Linn.) F. Muell.

Wild in shady places.

L. hirsuta Benth.

Wild in shade.

Russelia juncea Zuccar.

Garden plant.

Scoparia dulcis Linn.

In dry open fields.

Striga angustifolia (D. Don) Saldham.

In crop fields.

S. lutea Lour.

Parasite in sugarcane.

OROBANCHACEAE

Orobanche aegyptiaca Pers.

Parasite in winter crops.

LENTIBULARIACEAE

Utricularia inflexa Forsk. var. **stellaris** (Linn.) Tayl.

Ponds and rice-fields.

PEDALIACEAE

Sesamum indicum Linn.

Cultivated for oil.

ACANTHACEAE

Adhatoda vasica Nees

Occasionally in orchards,

- Andrographis paniculata** (Burm.) Wall. ex Nees
In damp places.
Justicia procumbens Linn. var. **simplex** (D. Don)
Yamazaki.
In high lands.
Ruellia prostrata Poir.
Under trees in orchards.
R. tuberosa Linn.
With the former species.
Rungia pectinata (Linn.) Nees
In open dry fields.

VERBENACEAE

- Clerodendron viscosum** Vent.
Weed, in uncultivated lands.
Duranta repens Linn.
Used as hedge.
Gmelina arborea Roxb.
Grown for timber.
Lantana camara Linn.
Exotic, abundant, as hedge also.
Phyla nodiflora (Linn.) Greene
On soft and newly formed soil.
Tectona grandis Linn. f.
Planted on road sides for timber.
Verbena officinalis Linn.
In waste places, sides of walls.

LABIATAE

- Anisomeles indica** (Linn.) O. Ktze.
Weed in open fields.
Leonurus sibiricus Linn.
Along with walls.
Leucas cephalotes Spreng.
In dry places, in crop fields.
Nepeta hindostana (Roth) Haines
Weed in moist places.
Ocimum basilicum Linn.
Under trees in moist places.
O. sanctum Linn.
Cultivated for medicinal and religious value.
Salvia plebeia Br.
In gardens.

NYCTAGINACEAE

- Boerhaavia diffusa** Linn.
Weed, along road sides.
Bougainvillea spectabilis Willd.
In gardens.

AMARANTACEAE

- Achyranthes aspera** Linn.
In orchards, under trees.

- Alternanthera sessilis** (Linn.) DC.
In moist places.
Amaranthus spinosus Linn.
Weed, on road sides.
Celosia argentea Linn. var. **cristata** Voss.
Ornamental garden plant.
Digera alternifolia Aschers.
Weed in moist places.

CHENOPODIACEAE

- Beta vulgaris** Linn.
Cultivated.
Chenopodium album Linn.
Weed in crop fields.

PHYTOLACACEAE

- Rivinia laevis** Linn.
Weed in moist places.

POLYGONACEAE

- Antigonon leptopus** Hook. & Arn.
In gardens.
Muehlenbeckia platyclada Meissn.
In gardens.
Polygonum limbatum Meissn.
On pond margins.
P. orientale Linn.
In ditches.
P. plebeium R. Br.
In play grounds.

PIPERACEAE

- Peperomia pellucida** H. B. & K.
Winter weed on the side of walls.
Piper betel Linn.
Cultivated.

LORANTHACEAE

- Loranthus globosus** Roxb.
On mango and guava trees.

EUPHORBIACEAE

- Acalypha ciliata** Forsk.
Garden plant.
A. indica Linn.
On road sides.
Croton sparsiflorus Morung.
Neglected places and road sides.
Crozophora rottoneri (Geis.) A. Juss.
Wild in dry places.
Emblica officinalis Gaertn.
Cultivated for fruits, wild also.
Phyllanthus fraternus Webster.
Weed in rainy season.

Ricinus communis Linn.	PONTEDERIACEAE
Cultivated for oil.	
Trewia nudiflora Linn.	EICHHORNIACEAE
Large wild tree, sides of canals.	<i>Eichhornia crassipes</i> (Mar.) Solms. In ponds and ditches.
	CERATOPHYLLACEAE
	Ceratophyllum demersum Linn.
	In ponds.
	URTICACEAE
Cannabis sativus (Linn.) Benn.	ORCHIDACEAE
Weed in the back of houses.	Vanda parviflora Lindl.
	In gardens.
	Zeuxine strateumatica (Linn.) Schult.
	Weed in wet soil.
	ZINGIBERACEAE
Artocarpus integrifolia Linn.	Curcuma amada Roxb.
Cultivated, in orchards.	Wild.
Ficus benghalensis Linn.	C. domestica Linn.
Wild on road sides.	Cultivated.
F. ramosa Linn.	Zingiber officinale Rosc.
Wild in orchards.	Cultivated.
F. religiosa Linn.	CANNACEAE
Wild on road sides.	Canna indica Linn.
F. virens Aib.	Garden plant.
Wild on road sides.	AMARYLLIDACEAE
Morus australis Poir.	Agave americana Linn.
Cultivated for fruits.	In gardens, along crop fields.
	BROMELIACEAE
	Ananas sativus Lindl.
	Cultivated for fruits.
	DIOSCOREACEAE
	Dioscorea oppositifolia Linn.
	Wild in orchards.
	MUSACEAE
	Musa paradisica subsp. <i>sapientum</i> (Linn.) f. Schum.
	Cultivated.
	LILIACEAE
	Allium cepa Linn.
	Cultivated.
	A. sativum Linn.
	Cultivated.
	Aloe barbadensis Mill.
	In gardens.
	Asparagus racemosus Willd.
	In gardens.
	Asphodelus tenuifolius Cav.
	Wild in moist places.
	Dracaena angustifolia Roxb.
	In gardens.
	LEMMNACEAE
Wolffia arrhiza Wimm.	Sansevieria roxburghiana Schult.
In neglected ponds.	Cultivated in gardens.

Smilax zeylanica Linn.

In gardens.

Yucca aloefolia Linn.

On road sides.

COMMELINACEAE

Commelina benghalensis Linn.

On the bank of ponds.

C. nudiflora Linn.

In shallow waters.

PALMACEAE

Areca catechu Linn.

In gardens.

Borassus flabellifer Linn.

Very common, wild.

Cocos nucifera Linn.

Cultivated in gardens.

Phoenix sylvestris Roxb.

In elevated areas.

CYPERACEAE

Cyperus rotundus Linn.

Weed in crop fields.

Scirpus articulatus Linn.

In shallow waters.

GRAMINAE

Avena stellaris Linn.

Cultivated, cereal.

Bambusa arundacea Willd

Cultivated.

Cynodon dactylon Pers.

Common wild grass.

Eleucine coracana (Linn.) Gaertn.

Cultivated.

Hordeum vulgare Linn.

Cultivated.

Hygrorhiza aristata Nees

Weed, on the bank of ponds.

Oryza sativa Linn.

Cultivated.

Pennisetum typhoides (Burm. f.) Stapf & Hubb.

Cultivated.

Poa syncruoides Retz.

Along with railway tracks.

Saccharum officinarum Linn.

Cultivated.

S. benghalense Retz.

Wild grass.

Sorghum vulgare Pers.

Cultivated.

Triticum aestivum Linn.

Cultivated.

Zea mays Linn.

Cultivated.

ACKNOWLEDGEMENTS

My thanks are due to the late Dr. R. P. Varma, Calcutta for correcting the nomenclature and to the late Dr. H. Santapau, Bombay for suggestions and improvements in the paper. Dr. Lakshman Jha, Darbhanga and Dr. Lakshminarayan Sinha, Muzaffarpur have been the source of inspiration in my academic life,