

SOME INTERESTING PLANTS COMMON TO WESTERN GHATS AND
EASTERN GHATS

G. V. SUBBA RAO AND G. R. KUMARI

Botanical Survey of India, Coimbatore

The flora of Eastern Ghats is not as well known as that of the Western Ghats for various reasons.

Until the publication of *Flora of the Presidency of Madras* (J. S. Gamble & C. E. C. Fischer, 1925-1936) the flora of Eastern Ghats was not so well known. Most of the Plants till then known either only from Western Ghats or from Western Ghats, Garhwal, Sikkim etc., were found to be present in Eastern Ghats also. But the *Flora of the Presidency of Madras* could not include the entire plant treasure of the Eastern Ghats because of limiting factors such as inaccessibility of certain areas, zamindari forests etc., for field work.

Later, botanical explorations in Ganjam and Koraput Hills, Rampa, Gudem, Vizag and Polavaram Agencies and surrounding areas have yielded interesting data showing that the flora of the Eastern Ghats is equally as rich and interesting as that of the Western Ghats.

As many as 130 taxa have been included by Gamble & Fischer (1925-1936) as occurring both in the eastern and western ghats and another 37 are reported by the authors.

Of these 37, 5 are trees, 3 are shrubs, about 24 are herbs, 4 are twiners and climbers and one is a hemi parasite. The genus *Nothopegia* Bl. according to Gamble & Fischer was represented in Eastern Ghats by only *Nothopegia heyneana* (Hook. f.) Gamble. The authors have collected *Nothopegia racemosa* (Dalz.) Ramam. a small tree, from Dharakonda.

Other tree species of Western Ghats collected in the Eastern Ghats by the authors are *Syzygium malabaricum* (Bedd.) Gamble, *Ixora brachiata* Roxb., *Glochidion ellipticum* Wight and *Debregeasia longifolia* (Burm.) Wedd.

The shrubs are *Xenacanthus pulneyensis* (Cl.) Brem., *Mallotus rhamnifolius* Muell.-Arg., and *Pouzolzia bennettiana* Wight etc.

Some of the common herbs are *Knoxia mollis* Wight & Arn., *Epithema carnosum* Benth. var. *hispida* Cl., *Dicliptera zeylanica* Nees, *Platystoma flaccidum* Benth., *Plectranthus mollis* (Ait.) Spr., *Polypleurum filifolium* (Ramam. & Joseph) Nag. Arekal & Subr., *Pilea trinervia* Wight etc. The presence of orchids like *Malaxis versicolor* (Lindl.) Abeywickr., *Polystachya flavescens* (Bl.) Sm. etc., is very interesting. The last one was considered to be an endemic in the Western Ghats. The distribution data are based on J. D. Hooker's *Flora of British India*, and Gamble & Fischer *Flora of the Presidency of Madras*, respectively.

Western Ghats Plants Found in Eastern
Ghats :

MENISPERMACEAE

Stephania japonica (Thunb.) Miers. FBI—
From Nepal to Chittagong. FPM—Forests
of W. ghats.

MALVACEAE

Decaschistia crotonifolia Wight & Arn. FBI—
Mysore and Madura. FPM—Cuddapah
etc., W. ghats.

Hibiscus lunariifolius Willd. FBI—Carnatic and Mysore. FPM—E. Carnatic and W. ghats.

STERCULIACEAE

Eriolaena hookeriana Wight & Arn. FBI—Konkan, Nilgiris & Pulneys. FPM—E. & W. ghats.

TILIACEAE

Grewia rotundifolia Juss. FBI—Konkan, Malabar etc. FPM—N. Circars, Kurnool, Deccan etc.

LINACEAE

Hugonia mystax L. FBI—Konkan & Travancore. FPM—Almost all dry districts.

GERANIACEAE

Atalantia racemosa Wight & Arn. FBI—From Konkan to Travancore. FPM—Horselay Konda & W. ghats.

MELIACEAE

Chukrasia tabularis A. Juss. FBI—Konkan to Coorg. FPM—Horselay Konda & W. ghats.

CELASTRACEAE

Pleurostyliia opposita (Wall. ex Roxb.) Alston (*P. wightii* Wight & Arn.) Malabar, Quilon, Nilgiris, Courtallam. FPM—N. Circars, Cuddapah & W. ghats.

HIPPOCRATEACEAE

Hippocratea obtusifolia Roxb. Konkan s. wards. FPM—Nellore to Tanjore, Cuddapah, Kurnool, Nilgiris & Pulneys.

RHAMNACEAE

Scutia myrtina Kurz FBI—Konkan s. wards, (*S. indica* Brongn.) FPM—N. Circars, Deccan, W. ghats.

Ziziphus horrida Roth FBI—Konkan. FPM—Deccan, Kurnool, Mysore.

VITACEAE

Ampelocissus tomentosa Planch. FBI—From Kanara s. wards. FPM—N. circars, Deccan etc., W. ghats.

Cissus vitiginea L. (*Vitis linnaei* Wall.) FBI—Konkan s. wards. FPM—N. circars, Pulneys.

Tetrastigma canarense Gamble (*vitis canarenensis* Dalz.) FBI—Kanara. FPM—W. ghats.

T. lanceolarum Planch. (*Vitis lanceolaris* Roxb.) FBI—Konkan s. wards. FPM—N. circars, Deccan, Nilgiris.

ANACARDIACEAE

Nothopogia racemosa (Dalz.) Ramam. FBI—Konkan s. wards. FPM—W. ghats

N. heyneana (Hook. f.) Gamble (*N. colebrookiana* Bl. var. *heyneana* Hook. f.) FBI—Konkan s. wards. FPM—Mahendragiri Hill & W. ghats.

LEGUMINOSAE

Alysicarpus parviflorus Dalz. FBI—Konkan, Anamalai Hills. FPM—W. ghats.

A. racemosus Benth. (*A. belgaumensis* var. *racemosus* Bak.) FBI—Nilgiris, Coimbatore. FPM—N. Circars, W. ghats.

Atylosia sericea Benth. ex Baker, FBI—Konkan. FPM—Hills of Vizag.

Crotalaria epunctata Dalz. (*C. albida* Heyne ex Roth var. *epunctata* Baker) FBI—S. Konkan. FPM—N. circars, Vizag, W. ghats.

COMBRETACEAE

Terminalia paniculata Roth, FBI—Nilgiris, Coorg. FPM—Cuddapah, W. ghats.

MYRTACEAE

Syzygium heyneanum (Duthie) Wall. (*Eugenia heyneana* Duthie) FBI—Bombay ghats, Konkan, Kanara, Coorg. FPM—N. circars, Coorg, S. Travancore.

Syzygium malabaricum (Bedd.) Gamble
(*Eugenia malabarica* Bedd.) FBI—Wynaad forests. FPM—W. ghats.

LYTHRACEAE

Rotala verticillaris L. (*Ammania rotala* C. B. Cl.) FBI—Deccan Peninsula, Konkan. FPM—Nel'ore s. wards to Tranquebar.

SAMYDACEAE

Casearia esculenta Roxb. FBI—Malabar, Bombay to Coorg. FPM—Circars, S. Kanara to Cochin.

BEGONIACEAE

Begonia malabarica Lamk. FBI—Malabar Mts. FPM—W. ghats, Rampa and Gudem agencies.

UMBELLIFERAE

Pimpinella monoica Dalz. FBI—Mts. of Malabar & S. Deccan. FPM—N. circars, W. ghats.

RUBIACEAE

Canthium dicoccum (Gaertn.) Teys. & Binn. var. *umbellatum* (Wight) Sant. & Merchant (*C. umbellatum* Wight). FBI—Konkan s. wards. FPM—Most districts.

Ixora brachiata Roxb. FBI—W. ghats. FPM—W. ghats.

Knoxia mollis Wight & Arn. FBI—Konkan s. wards. FPM—Nilgiris, Pulneys, W. ghats.

K. wightiana Wall. ex Wight & Arn. FBI—Nilgiri & Shivgiri Hills. FPM—Hills of Cuddapah, N. Arcot, W. ghats.

Oldenlanda caerulea (Wight & Arn.) Gamble FBI—From Dharwar s. wards. FPM—S. Kanara, Rampa, Nellore to Tanjore.

O. nitida (Wight & Arn.) Gamble, FBI—Dharwar s. wards to Travancore. FPM—N. circars, W. ghats.

O. trinervia Retz. FBI—Konkan s. wards. FPM—E. & W. ghats.

Ophiorrhiza hirsutula Wight ex Hook. f. FBI—Nilgiri Mts., FPM—E. & W. ghats.

Canthium parviflorum Lamk. [*Plectronia parviflora* (Lamk.) Bedd.] FBI—Konkan s. wards. FPM—All plains districts.

Xeromphis malabarica (Lamk.) Raju (*Randia malabarica* Lamk.) FBI—Konkan s. wards. FPM—N. circars, W. ghats.

Tarenna asiatica (L.) Sant. & Merch. (*Webera corymbosa* Willd.) FBI—Konkan s. wards. FPM—In dry forests, in all plains districts.

Wendlandia angustifolia Wight, FBI—Courtallam. FPM—Deccan, Cuddapah. W. ghats.

COMPOSITAE

Anaphalis lawii (Hook. f.) Gamble, FBI—Bababudan Hills, Mercara. FPM—Mahendragiri, Deccan, W. ghats.

Epaltes divaricata (L.) Cass. FBI—Konkan s. wards. FPM—All plains districts.

Gynura lycopersicifolia DC. FBI—Dindigal Hills, Courtallam. FPM—Mahendragiri Hills, W. ghats.

Notonia grandiflora DC. FBI—From Konkau s. wards. FPM—Cuddapah, Nellore, W. ghats.

Senecio candicans DC. FBI—Nilgiri Mts., FPM—Ganjam, Deccan, W. ghats.

S. corymbosus Wall. ex DC. FBI—Nilgiri Mts., FPM—Mahendragiri Hill in Ganjam, Nilgiri s. wards.

Wedelia urticaefolia DC. var. *wightii* DC. FBI—Konkan s. wards. FPM—W. ghats.

CAMPANULACEAE

Lobelia zeylanica L. FBI—From Bombay to Travancore. FPM—Deccan, W. ghats.

ARALIACEAE

Schefflera stellata Harms. FBI—Coimbatore, Nilgiri. FPM—W. ghats, R. S. Rao—Rampa Hills.

SAPOTACEAE

Xantolis tomentosa (Roxb.) Rafn. (*Sideroxylon tomentosum* Roxb.) FBI—From Konkan s. wards. FPM—Hills of Kanara to Coimbatore, N, circars.

EBENACEAE

Diospyros assimilis Bedd., FBI—Konkan & Kanara. FPM—N. circars & W. ghats.

D. candolleana Wight, FBI—From Konkan to Quilon and Courtallam. FPM—Mahendragiri Hill in Ganjam & W. ghats.

D. ovalifolia Wight, FBI—Coimbatore & Nilgiris, Anamalais & Tinnevely Hills. FPM—Nellore, Cuddapah, Kurnool, W. ghats.

OLEACEAE

Jasminum cordifolium Wall. FBI—W. ghats. FPM—W. ghats.

J. roxburghianum Wall. ex DC. FBI—Malabar ghats, Bababudan Hills. FPM—Bellary, Bababudan Hills.

Linociera intermedia Wight, FBI—Nilgiris & Anamalais. FPM—N. circars & W. ghats.

L. malabarica Wall. ex G. Don, FBI—From Konkan to Courtallam. FPM—N. circars, W. ghats.

APOCYNACEAE

Alstonia venenata R. Br. FBI—Nilgiri Hills, Courtallam, Dindigal. FPM—N. circars, W. ghats.

Anodendron paniculatum DC. FBI—W. ghats from Konkan s. wards. FPM—N. circars, W. ghats.

Carissa inermis Vahl (*C. macrophylla* Wall.)

FBI—Konkan, Courtallam, Madurai Hills. FPM—N. circars, W. ghats.

ASCLEPIADACEAE

Caralluma attenuata Wight, FBI—Nilgiris, Pulneys, Cochin. FPM—N. circars, W. ghats.

Ceropegia hirsuta Wight & Arn., FBI—Konkan to Travancore. FPM—N. circars, W. ghats.

C. tuberosa Roxb. FBI—Konkan s. wards. FPM—N. circars, W. ghats.

Toxicarpus kleinii Wight & Arn. FBI—Konkan s. wards. FPM—N. circars, W. ghats.

Tylophora macrantha Hook. f. FBI—Nilgiri Mts. FPM—N. circars, W. ghats.

T. rotundifolia Buch.—Ham. FBI—Konkan, Travancore, Anamalai Hills. FPM—N. circars, W. ghats.

LOGANIACEAE

Strychnos colubrina L. FBI—Konkan to Cochin & Travancore. FPM—Veligonda Hills in Nellore & W. ghats.

GENTIANACEAE

Exacum perrottetii Griseb. FBI—From Konkan s. wards. FPM—Ganjam, W. ghats.

Canscora decurrens Dalz. FBI—Konkan s. wards. FPM—N. circars, Kurnool, W. ghats.

Hoppea fastigiata (Griseb.) Cl. FBI—Mysore, Courtallam, Mangalore. FPM—N. circars, Mysore, S. Kanara to Travancore.

BORAGINACEAE

Cynoglossum meeboldii Brand. (*C. denticulatum* DC. var. *zeylanicum* Cl.) FBI—From Konkan s. wards. FPM—N. circars, Decan, W. ghats.

CONVOLVULACEAE

Argyreia involucrata Cl. FBI—Bombay, Kon-

kan, Bababudan Hills. FPM—N. circars, Rampa, Bababudan Hills.

A. pilosa Wight & Arn. FBI—Konkan, Kanara, Mysore. FPM—Bababudan Hills, Bellary.

Breweria cordata Bl. FBI—From Konkan s. wards. FPM—N. circars, W. ghats.

Merremia aegyptia (L.) Urban (= *Ipomoea pentaphylla* Hallier f.) FBI—W. India, W. Deccan Peninsula. FPM—N. circars, Deccan, Carnatic, W. coast.

SOLANACEAE

Solanum laeve Dunal, FBI—Nilgiris. FPM—N. circars, W. ghats.

S. trilobatum L. FBI—W. Deccan Peninsula from Konkan s. wards. FPM—N. circars, Deccan, Carnatic.

GESNERIACEAE

Epithema carnosum Benth. var. *hispida* Cl. FBI—S. D. Peninsula, Courtallum. FPM—N. Circars, W. ghats.

ACANTHACEAE

Barleria courtallica Nees, FBI—W. D. Peninsula from Konkan to Courtallam. FPM—N. circars, W. ghats.

B. montana Nees, FBI—W. D. Peninsula in ghats, Jubbulpore to Travancore. FPM—N. circars, W. ghats.

Dicliptera zeylanica Nees, FBI—W. D. Peninsula from Konkan s. wards. FPM—W. ghats.

Justicia procumbens L. var. *simplex* (D. Don) Yamazeta (*J. simplex* D. Don) FBI—W. India, Nilgiris. FPM—Deccan & W. ghats.

Pseuderanthemum malabaricum (Cl.) Gamble (*Eranthemum malabaricum* Cl.) FBI—W. D. Peninsula FPM—N. circars, W. ghats.

Staurogyne glauca O. Kuntze, (*Ebermaiera glauca* Nees) FBI—W. D. Peninsula & S.

Madras. FPM—N. circars, Nallamalai Hills, W. ghats.

Stenosiphonium russellianum Nees, FBI—S. D. Peninsula, Nilgiris. FPM—N. circars, W. ghats, Cuddapah.

Strobilanthes cuspidatus T. And. FBI—Nilgiris. FPM—N. circars, W. ghats.

Thunbergia tomentosa Wall. FBI—Nilgiris. FPM—W. ghats.

Xenacanthus pulneyensis (Cl.) Brem. *Strobilanthes pulneyensis* Cl. FBI—Pulneys, Anamalais. FPM—W. ghats, Nilgiris, Anamalais, Pulney etc.....

LABIATAE

Micromeria biflora Benth. FBI—Nilgiris & Anamalais. Mukherjee—Nilgiris. FPM—Hills of Vizag, W. Ghats.

Orthosiphon glabratus Benth. (*O. tomentosus* Benth. var. *glabratus* Hook. f.) FBI—Konkan s. wards. FPM—N. circars, W. ghats.

Platystoma flaccidum Benth. FBI—Konkan. FPM—Mysore.

Plectranthus mollis (Ait.) Spr. FBI—Anamalais. FPM—W. ghats. Mukh.—Konkan.

Scutellaria rivularis Wall. FBI—Nilgiris, Anamalais. FPM—W. ghats, Mukh.—Nilgiris.

NYCTAGINACEAE

Boerhavia chinensis (Burm. f.) Druce (*B. repanda* Willd.) FBI—Concan, Travancore. FPM—Deccan.

AMARANTHACEAE

Achyranthes aspera L. var. *rubrofusca* Hook. f. FBI & FPM—Nilgiris.

A. bidentata Bl. FBI—Konkan, Nilgiris, etc., FPM—W. ghats.

Allmania nodiflora R. Br. ex Hook. f. var. *aspera* Hook. f. FBI—Coimbatore, Mysore etc. FPM—W. ghats, Circars.

Allmania nodiflora R. Br. ex Hook. f. var. *dichotoma* Hook. f. FBI—Courtallam. FPM—Carnatic, Salem, Nellore s. wards.

CHENOPODIACEAE

Chenopodium ambrosioides L. FBI & FPM—Deccan, W. ghats.

POLYGONACEAE

Polygonum strigosum R. Br. var. *pedunculare* (Wall. ex Meiss.) Stew. (*P. pedunculare* Wall. ex Meiss.) FBI—Concan, Nilgiris, Pulneys. FPM—W. ghats, Pulneys.

P. tomentosum Willd. FBI—Malabar. FPM—Circars, Deccan, Carnatic.

PODOSTEMACEAE

Polypleurum filifolium (Ramam. & Joseph) Nag. Arekal & Subr. Originally reported from Parambikulam. Subba Rao—from Pottangi (Koraput District).

PIPERACEAE

Peperomia tetraphylla Hook. & Arn. FBI—Travancore, Courtallam. FPM—N. circars, W. ghats.

Piper attenuata Buch.-Ham. FBI—Nilgiris. FPM—Visakhapatnam, W. ghats.

ELAEAGNACEAE

Elaeagnus indica Servettaz, FBI—No mention of Sps. FPM—Deccan, Coimbatore, W. ghats.

BALANOPHORACEAE

Balanophora indica Wall. FBI—Nilgiri. FPM—W. ghats. Rolla S. Rao—Gudem Valley.

EUPHORBIACEAE

Baliospermum montanum (Willd.) Muell.—Arg. FBI—Konkan to Travancore. FPM—N. circars, W. coast.

Bischofia javanica Bl. (*B. oxillora* Bl.) FBI—W. ghats. FPM—N. circars, W. ghats.

Bridelia retusa Spr. FBI—Travancore. FPM—All forest districts.

Cleistanthus patulus Muell.-Arg. FBI—Courtallam. FPM—N. circars, Deccan etc.

Glochidion ellipticum Wight, FBI—S. Konkan, Malabar. FPM—W. ghats.

Hemicyclia sepiaria Wight & Arn. FBI—Konkan s. wards. FPM—N. circars. etc.

Homonoia retusa Muell.-Arg. FBI—Konkan to Nilgiris. FPM—N. circars, Deccan.

Mallotus rhamnifolius Muell.-Arg. FBI—Trincomalae, Courtallam. FPM—W. ghats.

Phyllanthus lawii Grah. FBI—Konkan, Wynad. FPM—N. circars, W. ghats.

Sarcococca trinervia Wight, FBI—W. ghats. FPM—N. circars, W. ghats.

Sebastiania chamaelea Muell.-Arg. FBI—Bombay s. wards. FPM—All plains districts.

MORACEAE

Artocarpus lakoocha Roxb. FBI—Travancore. FPM—Coorg, Mysore, W. coast, Vizag Hills.

Ficus benjamina L. var. *comosa* (Roxb.) Kurz, (*F. comosa* Roxb.) FBI—W. ghats. FPM—Vizag Hills.

F. dalhousiae Miq. FBI—Nilgiri Hills. FPM—Hill forests from Cuddapah s. wards.

F. tsiela Roxb. FBI—Konkan s. wards. FPM—Kurnool s. wards.

Plecosperrum spinosum Trec. FBI—Trav. FPM—Common in drier Districts. Nilgiris.

URTICACEAE

Debregeasia longifolia (Burm. f.) Wedd. (*D. velutina* Gaud.) FBI—Konkan s. wards. FPM—W. ghats.

Pilea trinervia Wight, FBI—Nilgiris, FPM—W. ghats, Mahendragiri.

Pouzolzia aspera Wight, FBI—Kanara, Anamalai Hills. FPM—W. ghats, Horseleykonda.

P. bennettiana Wight, FBI—Konkan s. wards. FPM—W. ghats.

P. bennettiana Wight var. *acuta* (Wight) Fischer (*P. acuta* Wight) Wight—Courtallam.

P. bennettiana Wight var. *gardneri* Hook. f. FBI—Central Pr. & Nilgiris. FPM—Nilgiris, Pulneys, Mahendragiri.

P. bennettiana Wight var. *tomentosa* Hook. f. FBI—Nilgiris. FPM—Nilgiris & Pulneys.

P. wightii Benn. FBI—W. ghats. FPM—All districts.

ORCHIDACEAE

Acampe praemorsa (Roxb.) Blatt. (*A. wightiana* Lindl.) FBI—W. ghats from Konkan s. wards. FPM—W. ghats, Circars.

Diplocentrum recurvum Lindl. FBI—Nilgiris & Travancore. FPM—Horselaykonda, Nandidrug, Tinnevelly, Travancore.

Eulophia ochreatea Lindl. FBI—Konkan, Kanara. FPM—Vizag Hills.

Habenaria barbata Wight, FBI—Pulney & Dindigul Mts. FPM—W. ghats, Cuddapah.

H. longicalcarata A. Rich. (*H. longicorniculata* Graham) FBI—Konkan to Travancore. FPM—W. ghats & Bellary.

H. longicornu Lindl. FBI—Nilgiris & Travancore. FPM—W. ghats, Horseleykonda.

Malaxis versicolor (Lindl.) Abeywickr. (*Microstylis versicolor* Lindl.) FBI—Common in W. ghats. FPM—W. ghats.

Polystachya flavescens (Bl.) J. J. Sm. (*P. purpurea* Wight) FBI—Travancore, FPM—W. ghats.

ZINGIBERACEAE

Curcuma decipiens Dalz. FBI—Konkan, FPM—W. ghats; Raju—Papi Hills.

C. pseudomontana Grah. (*C. montana* Rose. pro-parte) FBI—Combined W. ghats & Circars specimens. FPM—W. ghats.

Zingiber wightianum Thw. FBI—Travancore, Anamalai forests. FPM—W. ghats, Bison Hill in Godavari District.

AMARYLLIDACEAE

Molineria finlaysoniana Baker (*Curculigo finlaysoniana* Wall.) FBI—Travancore & Malabar. FPM—W. ghats, Mahendragiri.

TACCACEAE

Tacca pinnatifida Forst. FBI—Konkan, Central India. FPM—Ganjam, Rampa Hills, Bison Hill, Nallamalais, Mysore.

DIOSCOREACEAE

Dioscorea tomentosa Heyne FBI—Kanara s. wards. FPM—All districts.

LILIACEAE

Chlorophytum laxum R. Br. FBI—Konkan s. wards. FPM—Vizag Hills, W. ghats.

C. orchidastrum Lindl. FBI—Konkan to Travancore. FPM—Rampa Hills, W. ghats.

Dracaena terniflora Roxb. var. *heyneana* Hook. f. (*D. terminalis* Wight) FBI—W. ghats. FPM—W. ghats, Rampa Hills.

COMMELINACEAE

Aneilema dimorphum Dulz. FBI—Konkan s. wards. FPM—In all districts.

Commelina clavata Cl. FBI—Konkan s. wards. Nilgiri, FPM—All districts.

Cyanotis arachnoides Cl. FBI—Nilgiri. FPM—W. ghats, Rampa, etc.

C. fasciculata Schult. f. FBI—Konkan s. wards. FPM—W. ghats & all E. districts.

Cyanotis papilionaceae Schult. f. FBI—Konkan s. wards, FPM—On both coasts, Cuddapah, Anamalai & Pulney Hills.

C. tuberosa (Roxb.) Schult. f. FBI—Konkan to Travancore, FPM—All districts from Kurnool s. wards.

PALMACEAE

Phoenix humilis Royle var. *pedunculata* Bev. FBI—W. ghats, FPM—All hilly districts.

ALISMATACEAE

Limnophyton obtusifolium (L.) Miq. FBI—From Konkan s. wards, FPM—In all districts. Common on E. Side up to 6000 ft.

ERIOCAULACEAE

Eriocaulon collinum Hook. f. FBI—Nilgiri Hills, Coonoor, FPM—Mysore, W. ghats.

CYPERACEAE

Kyllinga melanosperma Nees, FBI—Nilgiri, FPM—W. ghats, Travancore, Kollimalai Hills.

POACEAE

Aristida setacea Retz. FBI—W. India, Konkan s. wards, FPM—All districts.

Cymbopogon confertiflorus Stapf (*Andropogon nardus* L. var. *nilagiricum* Hack.) FBI—Nilgiris, Coonoor, FPM—Rampa Hills, W. C. & W. ghats.

Cyrtococcum longipes (Wight & Arn.) A. Camus (*Panicum longipes* Wight & Arn. FBI—Nilgiris & Pulney Hills, FPM—Godavari Dist., Bison Hill, W. ghats & Coast.

Eulalia wightii (Hook. f.) Bor (*Pollinia quadri-*

nervis Hack. var. *wightii* Hook. f.) FBI—Pulneys, FPM—Rampa Hills & Pulneys.

Lophopogon tridentatus Hack. FBI—Kanara, Konkan, C. Provinces. FPM—Cuddapah, Nellore etc., Mysore State.

Tripogon bromoides Roem. & Schult. FBI—Malabar ghats, FPM—W. ghats, Cuddapah.

T. wightii Hook. f. FBI—Mysore, Bellary, FPM—Horseleykonda, Bellary, Nilgiris etc.

ACKNOWLEDGEMENTS

The authors are thankful to the Forest Departments of Andhra Pradesh and Orissa for the help extended to them during the exploration work.

REFERENCES

- BOR, N. L. The Grasses of Burma, Ceylon, India and Pakistan. London. 1960.
- GAMBLE, J. S. AND C. E. C. FISCHER. The Flora of the Presidency of Madras. (Repr. ed.) 3 Vols. Calcutta. 1957.
- HOOKE, J. D. The Flora of British India. 7 Vols. London. 1872-1897.
- MUKHERJEE, S. K. A Revision of the Labiatae of the Indian Empire. *Rec. bot. Surv. India* 14 : 1940.
- RAJU, D. C. S. Plants of the Papi Hills in Andhra Pradesh. *Indian Forester* 92 : 482-492. 1966.
- Vegetation and Flora of Polavaram agency tracts. *Trop. Ecol.* 7 : 114-124. 1966.
- RAO, ROLLA S. Observations on the vegetation of the Rampa and Gudem agency tracts of Eastern Ghats. *Journ. Bombay nat. Hist. Soc.* 55 : 429-449. 1958.
- Observations on the vegetation of the Rampa and Gudem agency tracts of Eastern Ghats. II. *Ibid.* 61 : 303-329. 1964.