

Rec. zool. Surv. India: 112(Part-2): 117-118, 2012

Short Communication

NEW RECORD OF COSSYPHUS DEPRESSUS FAB. 1781 (COSSYPHINI: LAGRIINAE: TENEBRIONIDAE: COLEOPTERA) FROM UTTAR PRADESH

INTRODUCTION

While undertaking the general faunistic survey of Hardoi and Sitapur districts (Uttar Pradesh), two examples *Cossyphus depressus* are collected, which constitutes to new record from Uttar Pradesh.

Previously, Cossyphus depressus Fabricius, 1781 was first reported by P.S. Nathan in India in 1937 from Nedungadu, Tanjore District, Tamil Nadu and Shimoga, Mysore state (presently Karnataka state) (Hava, 2007). Thereafter, the species has been reported from West Bengal (Saha and Das, 1996).

SYSTEMATIC ACCOUNT

Order COLEOPTERA

Suborder POLYPHAGA

Family TENEBRIONIDAE

Subfamily LAGRINAE, Latreille, 1825

Tribe COSSYPHINI, Latreille,1802

Genera Cossyphus, Oliv. 1975

2000. Scupola. Cossyphus cossyphus depressus (Fabricius, 1781) Atte del Museo Civico di Storia Naturale di Trieste, 48: 185-249.

2000. Scupola. Cossyphus cossyphus planus Fabricius, 1801. Atte del Museo Civico di Storia Naturale di Trieste, 48: 185-249.

Diagnostic characters: Brownish in colour, size small, flat body, head and pronotum joined together except a fine suture in between. Elytra similarly and equally flattened as pronotum and each elytron with a longitudinal and elevated ridge in the middle; antennae moderately elongated, basal segment longest, 2 to 7 segments slender, 10th strongly transverse, apical segment rounded, last four apical segments flattened; maxillary palpi fairly elongate, apical segment of maxillary palpi fairly triangular and flattened; labrum and labial



Fig. I: Dorsal view



Fig. II: Ventral view

118 Rec. zool. Surv. India

palpi small, fairly elongated legs. Lateral membranous elevations of elytra completely cover the body. (Fig. I & II).

Material examined: Uttar Pradesh, Hardoi district 02 examples collected under the leaf litter at Sandi Bird Sanctuary, on 21.ii.2011. and 02 examples collected under the mud from Sinhanipur Jheel, Sitapur district on 23.ii.2011 and Coll: V.D. Hegde all party.

Distribution: INDIA: Karnataka, Tamil Nadu, West Bengal and Uttar Pradesh (Hardoi and Sitapur districts).

Elsewhere: SRI LANKA (Scupola, 2000)

ACKNOWLEDGEMENTS

I am thankful to Dr. K. Venkataraman, Director, Zoological Survey of India, Kolkata for the facilities. I am greatful to the Principal Chief Conservator of Forests (PCCF) and Wildlife warden, Uttar Pradesh state for permission to conduct the survey and to collect the samples in the protected area. Thanks are also due to all the forest department officials of Hardoi and Sitapur districts. I am indebted to Dr. Kailash Chandra, Addl. Director, for his valuable suggestions in preparing the manuscript and all the staffs of Coleoptera section, ZSI Kolkata for constant encouragement.

REFERENCES

- Hava, J. 2007. List of specimens of the tribe Cossiphini (Coleoptera: Tenebrionidae) kept in the National Museum, Praha. *Acta Entomologica Musei Nationalis Paragae*, 47: 183-187.
- Saha, G,N. and B.N. Das 1996. Insecta: Coleoptera: Tenebrionidae In: *State Fauna Series, 3: Fauna of West Bengal* part **6B**: 509-557 (published by the Director, Zoological Survey of India, Kolkata).
- Scupola, A. 2000. Revisione della tribu Cossyphini Latreille, 1802 Parte I Introduzione e genre Cossyphus Olivier, 1791 (Coleoptera: Tenebrionidae) Atte del Museo Civico di Storia Naturale di Trieste, 48: 185-249.

V. D. HEGDE

Zoological Survey of India, M-Block, New Alipore, Kolkata-700 053 E-mail: hegde67@yahoo.co.in

Manuscript Received: 12 August, 2011; Accepted: 07 May, 2012